






Pump performance data		
MODEL: SCE 65/1S	Curve N°: 15527	Rev.:02
ITEM:	Power [Kw]:	
Project:	1450 RPM	

US G.P.M.

70 80 90 100 110 120 130 140 150




MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



Pump performance data		
MODEL: SCE 50/1S	Curve N°: 15583	Rev.:00
ITEM:	Power [Kw]:	
Project:	1450 RPM	

US G.P.M.



MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



Pump performance data		
MODEL: SCE 40/1S	Curve N°: 15584	Rev.:00
ITEM:	Power [Kw]:	
Project:	1450 RPM	




US G.P.M.

20
|

30
|

40
|

50
|






MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



Pump performance data		
MODEL: SCE 65/1S	Curve N°: 15585	Rev.:00
ITEM:	Power [Kw]:	
Project:	1750 RPM	

US G.P.M.

90 100 110 120 130 140 150 160 170 180




MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



Pump performance data		
MODEL: SCE 50/1S	Curve N°: 15586	Rev.:00
ITEM:	Power [Kw]:	
Project:	1750 RPM	

US G.P.M.




MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE



Pump performance data		
MODEL: SCE 40/1S	Curve N°: 15587	Rev.:00
ITEM:	Power [Kw]:	
Project:	1750 RPM	

US G.P.M.



MAGNETIC LOSSES ARE INCLUDED
 TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%
 ALL DATA STATED ARE AN INDICATION AND ARE LIABLE TO CHANGE WITHOUT NOTICE